



CURRICULUM VITAE

SILKE CAMERON

Priv.-Doz. Dr. med. Silke Cameron, M.A.

Chefärztin für Innere Medizin und Gastroenterologie

1990 – 1992	Studium Humanmedizin RWTH Aachen
1991 – 1992	Studium Neuere deutsche Literatur (NLD), Französisch und Philosophie RWTH Aachen
1992 – 1997	Studium Humanmedizin LMU München
1992 – 1998	Studium Neuere deutsche Literatur (NLD) und Kunstgeschichte LMU München
1998	Magister in NDL, Kunstgeschichte und Psychiatrie
1999	Promotion Humanmedizin
1998 – 2000	Ärztin im Praktikum und Assistenzärztin Med. Klinik Innenstadt, LMU München
2000 – 2002	Postdoktoranden Stipendium der Alexander von Humboldt-Stiftung und der Japan Society for the Promotion of Science (JSPS): Kitastato Institute for Oriental Medicine und Keio Universität, Abt. für Biochemie und Biomedizinische Forschung, Tokyo, Japan
2002 – 2017	UM Göttingen, Assistenzärztin 2002 – 2010, Oberärztin 2010 – 2017, Abteilung für Gastroenterologie und Endokrinologie, seit 03/2015 Abteilung für Gastroenterologie und gastrointestinale Onkologie
2008	Fachärztin für Innere Medizin
2010	Fachärztin für Gastroenterologie
2015	Habilitation
Seit 2015	Gutachter wissenschaftlicher Fachzeitschriften und Managing Editor „Digestion“
Seit 06.2017	Chefärztin Abt. Gastroenterologie und Allg. Innere Medizin Klinikum Hann. Münden und Wissenschaftliche Mitarbeiterin UM Göttingen

Klinische Schwerpunkte gastrointestinale Onkologie – Diagnostik und Therapie. Kampo.

Wissenschaftliche Schwerpunkte Trad. Japanische Medizin (Kampo), GIST, Tumor Mikroenvironment

Mitgliedschaften JSOM, DGVS, ISJKM, DEGUM, DKG, AIO, DIN-Normenausschuß Trad. Chin. Med., ENETS, ESMO, GPT.

Publikationen

- Gärtner R, Schopohl D, Schäfer S, Dugrillon A, Erdmann A, Toda S, Bechtner G. Regulation of Transforming Growth Factor- β 1 messenger Ribonucleic Acid Expression in Porcine Thyroid Follicles in vitro by Growth Factors, Iodine, or d-Iodolactone.; *Thyroid* 1997; 7: 633-40.
- Schäfer S, Kajimura M, Tsuyama S, Uchida K, Sato E, Inoue M, Suematsu M, and Watanabe K. Aberrant utilization of nitric oxide and regulation of soluble guanylate cyclase in rat diabetic retinopathy. *Antioxid and Redox Signal* 2003; 5(4): 457-65.
- Cameron-Schaefer S, Kondo K, Ishige A, Tsuyama S, Uchida K, Hanawa T, Suematsu M, and Watanabe K. Maintaining the redox-balance intact: Gosha-jinki-gan but not insulin activates retinal soluble guanylate cyclase in diabetic rats.; *Ophthalmic Res* 2006; 38: 95-104.
- Matyakhina L, Bei TA, McWhinney SR, Pasini B, Cameron S, Gunawan B, Stergiopoulos SG, Boikos S, Muchow M, Dutra A, Pak E, Campo E, Cid MC, Gomez F, Gaillard RC, Assie G, Füzesi L, Baysal BE, Eng C, Carney JA, Stratakis CA. Genetics of Carney triad: recurrent losses at chromosome 1, but lack of germline mutations in genes associated with paragangliomas and gastrointestinal stromal tumors. *J Clin Endocrinol Metabol* 2007; 92: 2938-2943.
- Cameron S, Haller F, Dudas J, Moriconi F, Gunawan B, Armbrust T, Langer C, Füzesi L, and Ramadori G. Immune cells in primary gastrointestinal stromal tumors. *Eur J Gastroenterol Hepatol* 2008; 20: 327-334.
- Haller F, Löbke C, Ruschhaupt M, Cameron S, Schulten H, Schwager S, Heydebreck A, Gunawan B, Langer C, Ramadori G, Sültmann H, Poustka A, Korf U, Fúzesi L. Loss of 9p leads to p16INK4A downregulation and enables RB/E2F1-dependent cell cycle promotion in gastrointestinal stromal tumours (GISTs). *J Pathol* 2008; 215:253-262.
- Homayounfar K, Gunawan B, Cameron S, Haller F, Baumhoer D, Uecker S, Sander B, Ramadori G, Lorf T, Füzesi L. Pattern of chromosomal aberrations in primary liver cancers identified by comparative genomic hybridisation. *Human Pathol* 2009; 40: 834-842.
- Armbrust T, Sobotta M, Haller F, Gunawan B, Füzesi L, Langer C, Cameron S, Ramadori G. Does Imatinib turn recurrent and/or metastasized gastrointestinal stromal tumors into a chronic disease? – Single center experience. *Eur J Gastroenterol Hepatol* 2009; 21: 819-823.
- Mansuroglu T, Baumhoer D, Dudas J, Haller F, Cameron S, Lorf T, Füzesi L, Ramadori G. Expression of stem cell factor (SCF) receptor c-kit in human non-tumoral and tumoral hepatic cells. *Eur J Gastroenterol Hepatol* 2009; 21: 1206-1211.
- Cameron S, Hünerbein D, Mansuroglu T, Armbrust T, Scharf JG, Schwörer H, Füzesi L, Ramadori G. Response of the primary tumor in symptomatic and asymptomatic stage IV colorectal cancer to combined interventional endoscopy and palliative chemotherapy. *BMC Cancer* 2009;9(1):218.
- Cameron S, Savvoukidis T, Armbrust T, Haller F, Kitz J, Fúzesi L, Ramadori G. Analysis of a case with disappearance of the primary gastrointestinal stromal tumor and progressive liver metastases under long-term treatment with tyrosine kinase inhibitors. *Med Oncol* 2010; 27:213-218.
- Haller F, Agaimy A, Cameron S, Beyer M, Gunawan B, Happel N, Langer C, Ramadori G, von Heydebreck A, Füzesi L. Expression of p16INK4A in gastrointestinal stromal tumours (GISTs): two different forms exist that independently correlate with poor prognosis. *Histopathology* 2010; 56:305-318.

Publikationen

Schaefer IM, Schüler P, Enders C, Scharf JG, Cameron S, Ramadori G, Füzési L. High chromosomal instability in adenocarcinoma of the ileum arising in multifocal gastric heterotopia with gastritis cystica profunda.; *Med Oncol*; 2011;28(4):1023-6.

Haller F, Cortis J, Helfrich J, Cameron S, Schüler P, Schwager S, Gunawan B, Füzési L, Agaimy A. Epithelioid/mixed phenotype in gastrointestinal stromal tumors with KIT mutation from the stomach is associated with accelerated passage of late phases of the cell cycle and shorter disease-free survival. *Mod Pathol* 2011; 24:248-255.

Blaschke M, Cameron S, Emami K, Blumberg J, Wegner U, Nischwitz M, Ramadori G. Measurement of 5-FU plasma levels in patients with advanced cancer: correct approach to practical procedures is essential. *Int J Clin Pharmacol Ther* 2011; 49:83-85.

Streit F, Binder L, Hafke A, Brandhorst G, Bräulke F, Haase D, Armbrust T, Cameron S, Ramadori G, Oellerich M, Walson P. Use of total and unbound imatinib and metabolite LC-MS/MS assay to understand individual responses in CML and GIST patients. *Therapeutic Drug Monitoring* 2011; 33(5):632-43.

Schaefer IM, Enders C, Polten A, Haller F, Frölich AM, Cameron S, Schüler P, Schweiger P, Gunawan B, Beham A, Füzési L. Common genomic aberrations in basaloid squamous cell carcinoma and carcinosarcoma of the esophagus detected by CGH and array CGH. *Am J Clin Pathol* 2011; 135(4):579-586.

Blaschke M, Cameron S, Emami K, Blumberg J, Wegner U, Nischwitz M, Ramadori G. Measurements of 5-FU Plasma Concentrations in Patients with Gastrointestinal Cancer: 5-FU Levels Reflect the 5-FU Dose Applied. *J Can Ther* 2011; doi:10.4236/jct.2011.

Cameron S, Schwartz A, Sultan S, Schaefer IM, Hermann R, Rave-Fränk M, Hess CF, Christiansen H, Ramadori G. Radiation-induced damage in different segments of the rat intestine after external beam irradiation of the liver. *Exp J Pathol* – 2012; 92:243-258.

Beham A, Schaefer IM, Cameron S, von Hammerstein K, Füzési L, Ramadori G, Ghadimi M. Duodenal GIST: A single center experience; *Int J Colorectal disease* 2013; 28(4):581-90.

Schaefer IM, Cameron S, Middel P, Homayounfar K, Schwörer H, Vieth M, Veits L. Pyloric gland adenoma of the cystic duct with malignant transformation: report of a case with a review of the literature. *BMC Cancer* 2012 Dec 4;12:570.

Blaschke M, Cameron S, Goeschen C, Ramadori G. 5-FU schedules, serum 5-FU levels and their relationship to therapy response and toxicity in patients with gastrointestinal cancer. *Int J Clin Pharmacol Ther* 2013 Jan;51(1):56-8.

Sultan S, Cameron S, Ahmad S, Martius G, Malik IA, Schultze FC, Rave-Fränk M, Christiansen H, Ramadori G. Serum lipocalin-2 is a potential biomarker of liver but not lung irradiation. *Liver Int* 2013 Mar;33(3):459-68.

Hupfeld T, Chapuy B, Schrader V, Beutler M, Veltkamp C, Koch R, Cameron S, Aung T, Haase D, Larosee P, Truemper L, Wulf GG. Tyrosinekinase inhibition facilitates cooperation of transcription factor SALL4 and ABC transporter A3 towards intrinsic CML cell drug resistance. *Br J Haematol* 2013; 161:204-213.

Rave-Fraenk M, Malik I, Christiansen H, Naz N, Sultan S, Amanzada A, Blaschke M, Cameron S, Ahmad S, Ramadori G, Moriconi F. Rat model of fractionated (2Gy/day) 60 Gy irradiation of the liver: long-term effects. *Radiat Environment Biophys* 2013;52(3):321-38.

Publikationen

- Homayounfar K, Schwarz A, Enders C, Cameron S, Baumhoer D, Ramadori G, Lorf T, Gunawan B, Sander B. Etiologic influence on chromosomal aberrations in European hepatocellular carcinoma identified by CGH. *Pathol Res Pract*. 2013;209(6):380-7.
- Goralczyk AD, Cameron S, Amanzada A. Treatment of chronic HCV genotype 1 infection with telaprevir: a Bayesian mixed treatment comparison of fixed-length and responseguided treatment regimens in treatment-naive and --experienced patients. *BMC Gastroenterol*. 2013;13(1):148.
- Naz N, Ahmad S, Cameron S, Moriconi F, Rave-Fränk M, Christiansen H, Hess CF, Ramadori G, Malik IA. Differential Regulation of Ferritin Subunits and Iron Transport Proteins: An Effect of Targeted Hepatic X-Irradiation. *BioMed Research International* 2013, doi.org/10.1155/2013/353106.
- Schaefer IM, Delfs C, Cameron S, Gunawan B, Agaimy A, Ghadimi BM, Haller F. Chromosomal aberrations in primary PDGFRA-mutated gastrointestinal stromal tumors. *Hum Pathol*. 2014;45(1):85-97.
- Amanzada A, Moriconi F, Mansuroglu T, Cameron S, Ramadori G, A Malik I. Induction of chemokines and cytokines before neutrophils and macrophage recruitment in different regions of rat liver after TAA administration. *Lab Invest*. 2014;94:235-247.
- Schaefer IM, Ströbel P, Cameron S, Beham A, Otto C, Schildhaus HU, Agaimy A. Rhabdoid morphology in gastrointestinal stromal tumours (GISTs) is associated with PDGFRA mutations but does not imply aggressive behavior. *Histopathology* 2014;64:421-430.
- Tsaknakis B, Schaefer IM, Schwörer H, Sahlmann CO, Thoms KM, Blaschke M, Ramadori G, Cameron S. Long-lasting complete response of metastatic melanoma to ipilimumab with analysis of the resident immune cells. *Med Oncol* 2014;31(1):813.
- Ahmad S, Sultan S, Naz N, Ahmad G, Alwahsh SM, Cameron S, Moriconi F, Ramadori G, Malik IA. Regulation of Iron Uptake in Primary Culture Rat Hepatocytes: The Role of Acute Phase Cytokines. *Shock*. 2014;41:337-345.
- Khan S, Cameron S, Blaschke M, Moriconi F, Naz N, Amanzada A, Ramadori G, Malik IA. Differential gene expression of chemokines in KRAS and BRAF mutated colorectal cell lines: Role of cytokines. *W J Gastroenterol* 2014, 20:2979-2994.
- Cameron S, Gieselmann M, Blaschke M, Ramadori G, Füzesi L. Immune cells in primary and metastatic gastrointestinal stromal tumors (GIST). *Int J Clin Exp Pathol* 2014; 7: 3563-3579.
- Amanzada A, Goralczyk AD, Reinhardt L, Moriconi F, Cameron S, Mihm S. Erythropoietin rs1617640 G allele associates with an attenuated rise of serum erythropoietin and a marked decline of hemoglobin in hepatitis C patients undergoing antiviral therapy. *BMC Infect Dis* 2014;14:503.
- Mechie NC, Röver C, Cameron S, Amanzada A. Predictability of IL-28B-polymorphism on protease-inhibitor-based triple-therapy in chronic HCV-genotype-1 patients: A metaanalysis. *World J Hepatol* 2014;6(10):759-65.
- Haller F, Zhang JD, Moskalev EA, Braun A, Otto C, Geddert H, Riazalhosseini Y, Ward A, Balwierz A, Schaefer IM, Cameron S, Ghadimi BM, Agaimy A, Fletcher JA, Hoheisel J, Hartmann A, Werner M, Wiemann S, Sahin O. Combined DNA methylation and gene expression profiling in gastrointestinal stromal tumors (GISTs) reveals hypomethylation of SPP1 as an independent prognostic factor. *Int J Cancer* 2015; 136:1013-1023.

Publikationen

- Martius G, Cameron S, Rave-Fränk M, Hess CF, Wolff HA, Malik IA. The Anti-TNF- α Antibody Infliximab Inhibits the Expression of Fat-Transporter-Protein FAT/CD36 in a Selective Hepatic-Radiation Mouse Model; *Int J Mol Sci* 2015; 16:4682-4697.
- Malik IA, Stange I, Martius G, Cameron S, Rave-Fränk M, Hess CF, Ellenrieder V, Wolff HA. Role of PECAM-1 in radiation-induced liver inflammation. *J Cell Mol Med* 2015; 19: 2441-2452.
- Sultan S, Ahmad S, Rave-Fränk M, Malik IA, Hess CF, Christiansen H, Cameron S. Induction of Lipocalin 2 in a Rat Model of Lung Irradiation. *Int J Mol Sci* 2016; 17: E637. doi: 10.3390/ijms17050637.
- Eriksson M, Reichardt P, Sundby Hall K, Schütte J, Cameron S, Hohenberger P, Bauer S, Leinonen M, Reichardt A, Rejmyr Davis M, Alvegard T, Joensuu H. Needle biopsy through the abdominal wall for the diagnosis of gastrointestinal stromal tumour – Does it increase the risk for tumour cell seeding and recurrence? *Eur J Cancer* 2016; 59:128-133.
- Merten L, Agaimy A, Moskalev EA, Giedl J, Kayser C, Geddert H, Schaefer IM, Cameron S, Werner M, Ströbel P, Hartmann A, Haller F. Inactivating Mutations of RB1 and TP53 Correlate With Sarcomatous Histomorphology and Metastasis/Recurrence in Gastrointestinal Stromal Tumors. *Am J Clin Pathol* 2016; 146:718-726.
- Joensuu H, Wardelmann E, Sihto H, Eriksson M, Sundby Hall K, Reichardt A, Hartmann JT, Pink D, Cameron S, Hohenberger P, Al-Batran SE, Schlemmer M, Bauer S, Nilsson B, Kallio R, Junnila J, Vehtari A, Reichardt P. Effect of KIT and PDGFRA Mutations on Survival in Patients With Gastrointestinal Stromal Tumors Treated With Adjuvant Imatinib: An Exploratory Analysis of a Randomized Clinical Trial. *JAMA Oncol.* 2017; 3:602-609.
- He YJ, Kuchta K, Deng YM, Cameron S, Lin Y, Liu XY, Ye GR, Lv X, Kobayashi Y, Shu JC. Curcumin Promotes Apoptosis of Activated Hepatic Stellate Cells by Inhibiting Protein Expression of the MyD88 Pathway. *Planta Med.* 2017. doi:10.1055/s-0043-113044 [Epub ahead of print].
- Moskalev E, Bureira, Braun A, Kayser C, Geddert H, Schaefer IM, Cameron S, Ghadimi M, Stroebel P, Werner A, Martin W, Hartmann A, Wiemann S, Haller F. The expression of hematopoietic progenitor cell antigen CD34 is regulated by DNA methylation in a sitedependent manner in gastrointestinal stromal tumours (GISTs). *Int J Can* 2017; 141(11):2296-2304.
- Ahmad S, Cameron S, Naz N, Moriconi F. Mediators of hypoxia in a rat model of sterile-induced acute liver injury. *Int J Clin Exp Pathol* 2017; 10(12):11471-11479.
- Flemming J, Cameron S. Small bowel capsule endoscopy. Indications, results, and clinical benefit in a University environment. *Medicine* 2018; 97:e0148.
- Cameron S, Kuchta K, Reissenweber-Hewel H. Kampo-Medizin in der gastrointestinalen Onkologie. *Zkm* 2018; 3:50-57.

Fallberichte

Ramadori G, Cameron S, Tschene B. Long-Lasting tumor response in patients with panitumumab monotherapy for chemorefractory metastatic colorectal carcinoma – A report of two cases. *Case Reports in Oncology* 2010; 3:154-159.

Amanzada A, Töppler GJ, Cameron S, Schwörer H, Ramadori G. A case report of a patient with hereditary hemorrhagic telangiectasia treated successively with thalidomide and bevacizumab. *Case Reports in Oncology* 2010;3(3):463-70.

Cameron S, Schaefer IM, Schwoerer H, Ramadori G. Ten Years of Treatment with 400 mg Imatinib per Day in a Case of Advanced Gastrointestinal Stromal Tumor. *Case Reports in Oncology* 2011; 4(3):505-511.

Übersichtsartikel

Reissenweber H, Schäfer S. Japanische Phytotherapie (Kampo) – Klinische Relevanz und Qualitätssicherung in der Modernen Medizin, Symposium Phytopharmaka VI, June 2000; Proceedings of the German Society for Clinical Pharmacology and Therapy 2001.

Schäfer S. Kampo – Japanische Phytotherapie; Symposium Medical – Naturheilkunde; BMV Berliner Medizinische Verlagsanstalt GmbH 2001; 11. Jahrgang: 38-39.

Cameron S, Ramadori G. Familiäre Gastrointestinale Stromatumoren.; Tumor Diagnostik & Therapie, Thieme Verlag Stuttgart 2004; 25: 189-191.

Cameron S, Ramadori G. Gastrointestinal stromal tumors: diagnostics, therapy and beyond? *Minerva Gastroenterol Dietol.* 2009; 55(4):409-423.

Ramadori G, Cameron S. Effects of systemic chemotherapy on the liver. *Annals of Hepatology* 2010; 9:133-143.

Cameron S, Ramadori G. Beitrag der Gastroenterologie zur Therapie – 15 Jahre Erfahrung: aus der Vielfalt Hoffnung schöpfen. *Glandula-NET Jubiläumsausgabe* 2010.

Cameron S. Lebererkrankungen im Alter, weniger aggressiv behandeln? *MedReview* 14;2011: 11-13.

Beham AW, Schaefer IM, Schüler P, Cameron S, Ghadimi BM. Gastrointestinal stromal tumors. *Int J Colorectal Dis.* 2012;27(6):689-700.

Agaimy A, Bauer S, Beham A, Bertolini J, Haller F, Koschny R, Maier J, Montemurro M, Perez D, Schaefer IM, Schildhaus HU, Wurst C, Cameron S. Gastrointestinal Stromal Tumours (GIST) - development in pathology, surgery and medical therapy *Z Gastroenterol.* 2015; 53(3):235-43.

Cameron S. Gastrointestinaler Stromatumor (GIST). *Gastroenterologie* up2date 11;2015 doi.org/10.1055/s-0034-1392312.

Cameron S, Beham A, Schildhaus H-U. Current standard and future perspectives in the treatment of gastrointestinal stromal tumors (GIST). *Digestion*; 2017: DOI: 10.1159/000455835.

Reichardt P, Reichardt A, Cameron S. Gastrointestinale Stromatumoren (GIST). *Der Gastroenterologe*; 2017: DOI 10.1007/s11377-016-0131-3.

**Kommentare /
Editorials**

Schäfer S und Ramadori G. Vom Adenom zum Karzinom – Wie festgefahren sind die Wege der Mutationen? Zeitschrift für Gastroenterologie 2003; 41: 201-03.

Cameron S, Reissenweber H, Watanabe K. Asian medicine: Japan's paradigm. Nature. 2012 Feb 1;482(7383):35. doi: 10.1038/482035a.

Cameron S. Long-term adjuvant treatment of gastrointestinal stromal tumors (GIST) with imatinib. How did it come about and why? A comment and reflection on the PERSIST-5 study. Translat Gastroenterol Hepatol 2018; doi: 10.21037/tgh.2018.03.01.

Buchbeiträge

Möhler M., Cameron S, Menges M. Magentumore / GIST. Kapitel 3.4, in: Rationelle Diagnostik und Therapie in der Inneren Medizin, Leitlinien-basierte Empfehlungen für die Praxis; Elsevier, Urban&Fischer, 2012 ISBN 978.3-437-22827-8. Hrgs. Busse O, Fleig WE, Mayet WJ, Mertens PR, Meyer J, Müller OA, et al.